

**PLATINUM TOOLS®**

# HPH J-Hooks

**HIGH PERFORMANCE HYBRID**

**2022**  
Product Catalog



**PATENTED**

**PLENUM  
RATED**

**TIA**  
Compliant

**RoHS**  
compliant  
Eco-Friendly

**cULus**  
LISTED

800-749-5783

[www.platinumtools.com](http://www.platinumtools.com)

[info@platinumtools.com](mailto:info@platinumtools.com)

**nsi**

# What is the HPH?

## HIGH PERFORMANCE HYBRID

*The HPH is named for its composition and design*



1. The metal component provides a strong backbone.

2. The plastic component provides a two inch wide-base support with a slick and burr free surface.

3. The combined J-Hook is UL listed, RoHS compliant, TIA compliant & is suitable for installation in plenum and air handling spaces.

## OPTIMUM BEND RADIUS

| Item No. | Size | Radius  |
|----------|------|---------|
| HPH16-25 | 1"   | 3.8560" |
| HPH32-25 | 2"   | 3.3495" |
| HPH48-25 | 3"   | 3.5792" |
| HPH64-25 | 4"   | 3.5100" |



**NOTE:** A MITUTOYO CONTOUR TRACER CV-524 WAS USED TO TRACE THE ACTUAL CROSS-SECTION CONTOUR OF THE J-HOOKS. BEND RADIUS WAS FIT TO THE RAW DATA TO SIMULATE THE CONTACT OF THE CABLES IN THE J-HOOK.

## HPH CABLE CAPACITY



### 100 % FILL RATE CABLE CAPACITY CHART

| Part No. | Area                  | Hook Diameter | CAT 5e Capacity | CAT 6 Capacity | Cat 6a Capacity |
|----------|-----------------------|---------------|-----------------|----------------|-----------------|
| HPH16-25 | 1.07 in <sup>2</sup>  | 1"            | 29              | 22             | 14              |
| HPH32-25 | 3.97 in <sup>2</sup>  | 2"            | 129             | 86             | 50              |
| HPH48-25 | 9.26 in <sup>2</sup>  | 3"            | 286             | 215            | 115             |
| HPH64-25 | 15.48 in <sup>2</sup> | 4"            | 472             | 315            | 200             |

Cable capacity is calculated based on a 100% fill rate.

Actual capacity may vary due to CAT cable outside diameter variances by type and manufacturer.

Consult with the cable manufacturer to insure the correct cable outside diameter is being used during calculations.



# HPH J-Hook

## Wall mount

- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Flush mount design, allows the hook to sit flush against the wall.
- Available in 1", 2", 3" & 4".
- Available in multiple colors including: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS compliant, plenum rated.

Snap-lock latch



| Item No.   | Size | Description   | Color | Box QTY |
|------------|------|---|-------|---------|
| HPH16-25   | 1"   | Metal/plastic composite HPH J-Hook with snap-lock latch | White | 25pcs   |
| HPH16-25R  | 1"   | Metal/plastic composite HPH J-Hook with snap-lock latch | Red   | 25pcs   |
| HPH16-25BL | 1"   | Metal/plastic composite HPH J-Hook with snap-lock latch | Blue  | 25pcs   |
| HPH16-25BK | 1"   | Metal/plastic composite HPH J-Hook with snap-lock latch | Black | 25pcs   |
| HPH32-25   | 2"   | Metal/plastic composite HPH J-Hook with snap-lock latch | White | 25pcs   |
| HPH32-25R  | 2"   | Metal/plastic composite HPH J-Hook with snap-lock latch | Red   | 25pcs   |
| HPH32-25BL | 2"   | Metal/plastic composite HPH J-Hook with snap-lock latch | Blue  | 25pcs   |
| HPH32-25BK | 2"   | Metal/plastic composite HPH J-Hook with snap-lock latch | Black | 25pcs   |
| HPH48-25   | 3"   | Metal/plastic composite HPH J-Hook with snap-lock latch | White | 25pcs   |
| HPH48-25R  | 3"   | Metal/plastic composite HPH J-Hook with snap-lock latch | Red   | 25pcs   |
| HPH48-25BL | 3"   | Metal/plastic composite HPH J-Hook with snap-lock latch | Blue  | 25pcs   |
| HPH48-25BK | 3"   | Metal/plastic composite HPH J-Hook with snap-lock latch | Black | 25pcs   |
| HPH64-25   | 4"   | Metal/plastic composite HPH J-Hook with snap-lock latch | White | 25pcs   |
| HPH64-25R  | 4"   | Metal/plastic composite HPH J-Hook with snap-lock latch | Red   | 25pcs   |
| HPH64-25BL | 4"   | Metal/plastic composite HPH J-Hook with snap-lock latch | Blue  | 25pcs   |
| HPH64-25BK | 4"   | Metal/plastic composite HPH J-Hook with snap-lock latch | Black | 25pcs   |



HPH Color Options:



## 90° Angle clip with 1/4" hole

- Easily attaches to 1/4" threaded rod or directly to ceiling with fastener.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



| Item No.     | Size | Description                            | Hole Size | Color | Box QTY |
|--------------|------|--|-----------|-------|---------|
| HPH16AC-25   | 1"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | White | 25pcs   |
| HPH16AC-25R  | 1"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | Red   | 25pcs   |
| HPH16AC-25BL | 1"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | Blue  | 25pcs   |
| HPH16AC-25BK | 1"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | Black | 25pcs   |
| HPH32AC-25   | 2"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | White | 25pcs   |
| HPH32AC-25R  | 2"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | Red   | 25pcs   |
| HPH32AC-25BL | 2"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | Blue  | 25pcs   |
| HPH32AC-25BK | 2"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | Black | 25pcs   |
| HPH48AC-25   | 3"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | White | 25pcs   |
| HPH48AC-25R  | 3"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | Red   | 25pcs   |
| HPH48AC-25BL | 3"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | Blue  | 25pcs   |
| HPH48AC-25BK | 3"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | Black | 25pcs   |
| HPH64AC-25   | 4"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | White | 25pcs   |
| HPH64AC-25R  | 4"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | Red   | 25pcs   |
| HPH64AC-25BL | 4"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | Blue  | 25pcs   |
| HPH64AC-25BK | 4"   | HPH J-Hook assembled to 90° angle clip | 1/4"      | Black | 25pcs   |

HPH Color Options:





## 90° Angle clip with 3/8" hole

- Easily attaches to 3/8" threaded rod or directly to ceiling with fastener.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



| Item No.      | Size | Description                                     | Hole Size | Color | Box QTY |
|---------------|------|---|-----------|-------|---------|
| HPH16AC6-25   | 1"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | White | 25pcs   |
| HPH16AC6-25R  | 1"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | Red   | 25pcs   |
| HPH16AC6-25BL | 1"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | Blue  | 25pcs   |
| HPH16AC6-25BK | 1"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | Black | 25pcs   |
| HPH32AC6-25   | 2"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | White | 25pcs   |
| HPH32AC6-25R  | 2"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | Red   | 25pcs   |
| HPH32AC6-25BL | 2"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | Blue  | 25pcs   |
| HPH32AC6-25BK | 2"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | Black | 25pcs   |
| HPH48AC6-25   | 3"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | White | 25pcs   |
| HPH48AC6-25R  | 3"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | Red   | 25pcs   |
| HPH48AC6-25BL | 3"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | Blue  | 25pcs   |
| HPH48AC6-25BK | 3"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | Black | 25pcs   |
| HPH64AC6-25   | 4"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | White | 25pcs   |
| HPH64AC6-25R  | 4"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | Red   | 25pcs   |
| HPH64AC6-25BL | 4"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | Blue  | 25pcs   |
| HPH64AC6-25BK | 4"   | HPH J-Hook assembled to 12 gauge 90° angle clip | 3/8"      | Black | 25pcs   |



HPH Color Options:



## 90° Angle Clip w/ 1-1/16" x 0.157" dia. pin for concrete

- Easily installs into concrete substrates with use of powder actuated tool.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as:  
Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS compliant, plenum rated.



| Item No.       | Size | Description   | Color | Box QTY |
|----------------|------|---|-------|---------|
| HPH16ACPA-25   | 1"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | White | 25pcs   |
| HPH16ACPA-25R  | 1"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | Red   | 25pcs   |
| HPH16ACPA-25BL | 1"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | Blue  | 25pcs   |
| HPH16ACPA-25BK | 1"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | Black | 25pcs   |
| HPH32ACPA-25   | 2"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | White | 25pcs   |
| HPH32ACPA-25R  | 2"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | Red   | 25pcs   |
| HPH32ACPA-25BL | 2"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | Blue  | 25pcs   |
| HPH32ACPA-25BK | 2"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | Black | 25pcs   |
| HPH48ACPA-25   | 3"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | White | 25pcs   |
| HPH48ACPA-25R  | 3"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | Red   | 25pcs   |
| HPH48ACPA-25BL | 3"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | Blue  | 25pcs   |
| HPH48ACPA-25BK | 3"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | Black | 25pcs   |
| HPH64ACPA-25   | 4"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | White | 25pcs   |
| HPH64ACPA-25R  | 4"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | Red   | 25pcs   |
| HPH64ACPA-25BL | 4"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | Blue  | 25pcs   |
| HPH64ACPA-25BK | 4"   | HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin | Black | 25pcs   |



HPH Color Options:





## Batwing clip for threaded rod or ceiling wire

- Easily attaches to 1/4" threaded rod or 8-12 gauge drop ceiling wire.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, plenum rated.



| Item No.    | Size | Description                                    | Color | Box QTY |
|-------------|------|--|-------|---------|
| HPH16W-25   | 1"   | HPH J-Hook assembled to JH960-100 batwing clip | White | 25pcs   |
| HPH16W-25R  | 1"   | HPH J-Hook assembled to JH960-100 batwing clip | Red   | 25pcs   |
| HPH16W-25BL | 1"   | HPH J-Hook assembled to JH960-100 batwing clip | Blue  | 25pcs   |
| HPH16W-25BK | 1"   | HPH J-Hook assembled to JH960-100 batwing clip | Black | 25pcs   |
| HPH32W-25   | 2"   | HPH J-Hook assembled to JH960-100 batwing clip | White | 25pcs   |
| HPH32W-25R  | 2"   | HPH J-Hook assembled to JH960-100 batwing clip | Red   | 25pcs   |
| HPH32W-25BL | 2"   | HPH J-Hook assembled to JH960-100 batwing clip | Blue  | 25pcs   |
| HPH32W-25BK | 2"   | HPH J-Hook assembled to JH960-100 batwing clip | Black | 25pcs   |
| HPH48W-25   | 3"   | HPH J-Hook assembled to JH960-100 batwing clip | White | 25pcs   |
| HPH48W-25R  | 3"   | HPH J-Hook assembled to JH960-100 batwing clip | Red   | 25pcs   |
| HPH48W-25BL | 3"   | HPH J-Hook assembled to JH960-100 batwing clip | Blue  | 25pcs   |
| HPH48W-25BK | 3"   | HPH J-Hook assembled to JH960-100 batwing clip | Black | 25pcs   |
| HPH64W-25   | 4"   | HPH J-Hook assembled to JH960-100 batwing clip | White | 25pcs   |
| HPH64W-25R  | 4"   | HPH J-Hook assembled to JH960-100 batwing clip | Red   | 25pcs   |
| HPH64W-25BL | 4"   | HPH J-Hook assembled to JH960-100 batwing clip | Blue  | 25pcs   |
| HPH64W-25BK | 4"   | HPH J-Hook assembled to JH960-100 batwing clip | Black | 25pcs   |



HPH Color Options:



## Hammer-on beam clamp for flanges 1/8" - 1/4" thick

- Easily hammers onto flanges 1/8" - 1/4" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



| Item No.        | Size | Description                       | Color | Box QTY |
|-----------------|------|-----------------------------------|-------|---------|
| HPH16HOK24-25   | 1"   | HPH J-Hook assembled to JH910-100 | White | 25pcs   |
| HPH16HOK24-25R  | 1"   | HPH J-Hook assembled to JH910-100 | Red   | 25pcs   |
| HPH16HOK24-25BL | 1"   | HPH J-Hook assembled to JH910-100 | Blue  | 25pcs   |
| HPH16HOK24-25BK | 1"   | HPH J-Hook assembled to JH910-100 | Black | 25pcs   |
| HPH32HOK24-25   | 2"   | HPH J-Hook assembled to JH910-100 | White | 25pcs   |
| HPH32HOK24-25R  | 2"   | HPH J-Hook assembled to JH910-100 | Red   | 25pcs   |
| HPH32HOK24-25BL | 2"   | HPH J-Hook assembled to JH910-100 | Blue  | 25pcs   |
| HPH32HOK24-25BK | 2"   | HPH J-Hook assembled to JH910-100 | Black | 25pcs   |
| HPH48HOK24-25   | 3"   | HPH J-Hook assembled to JH910-100 | White | 25pcs   |
| HPH48HOK24-25R  | 3"   | HPH J-Hook assembled to JH910-100 | Red   | 25pcs   |
| HPH48HOK24-25BL | 3"   | HPH J-Hook assembled to JH910-100 | Blue  | 25pcs   |
| HPH48HOK24-25BK | 3"   | HPH J-Hook assembled to JH910-100 | Black | 25pcs   |
| HPH64HOK24-25   | 4"   | HPH J-Hook assembled to JH910-100 | White | 25pcs   |
| HPH64HOK24-25R  | 4"   | HPH J-Hook assembled to JH910-100 | Red   | 25pcs   |
| HPH64HOK24-25BL | 4"   | HPH J-Hook assembled to JH910-100 | Blue  | 25pcs   |
| HPH64HOK24-25BK | 4"   | HPH J-Hook assembled to JH910-100 | Black | 25pcs   |



HPH Color Options:





## Hammer-on beam clamp for flanges 5/16" - 1/2" thick

- Easily hammers onto flanges 5/16" - 1/2" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as:  
Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



| Item No.        | Size | Description                       | Color | Box QTY |
|-----------------|------|-----------------------------------|-------|---------|
| HPH16HOK58-25   | 1"   | HPH J-Hook assembled to JH911-100 | White | 25pcs   |
| HPH16HOK58-25R  | 1"   | HPH J-Hook assembled to JH911-100 | Red   | 25pcs   |
| HPH16HOK58-25BL | 1"   | HPH J-Hook assembled to JH911-100 | Blue  | 25pcs   |
| HPH16HOK58-25BK | 1"   | HPH J-Hook assembled to JH911-100 | Black | 25pcs   |
| HPH32HOK58-25   | 2"   | HPH J-Hook assembled to JH911-100 | White | 25pcs   |
| HPH32HOK58-25R  | 2"   | HPH J-Hook assembled to JH911-100 | Red   | 25pcs   |
| HPH32HOK58-25BL | 2"   | HPH J-Hook assembled to JH911-100 | Blue  | 25pcs   |
| HPH32HOK58-25BK | 2"   | HPH J-Hook assembled to JH911-100 | Black | 25pcs   |
| HPH48HOK58-25   | 3"   | HPH J-Hook assembled to JH911-100 | White | 25pcs   |
| HPH48HOK58-25R  | 3"   | HPH J-Hook assembled to JH911-100 | Red   | 25pcs   |
| HPH48HOK58-25BL | 3"   | HPH J-Hook assembled to JH911-100 | Blue  | 25pcs   |
| HPH48HOK58-25BK | 3"   | HPH J-Hook assembled to JH911-100 | Black | 25pcs   |
| HPH64HOK58-25   | 4"   | HPH J-Hook assembled to JH911-100 | White | 25pcs   |
| HPH64HOK58-25R  | 4"   | HPH J-Hook assembled to JH911-100 | Red   | 25pcs   |
| HPH64HOK58-25BL | 4"   | HPH J-Hook assembled to JH911-100 | Blue  | 25pcs   |
| HPH64HOK58-25BK | 4"   | HPH J-Hook assembled to JH911-100 | Black | 25pcs   |



HPH Color Options:



## Hammer-on beam clamp for flanges 1/8" - 1/4" thick

- Easily hammers onto flanges 1/8" - 1/4" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



| Item No.         | Size | Description   | Color | Box QTY |
|------------------|------|---|-------|---------|
| HPH16ACFM24-25   | 1"   | HPH J-hook with 90° angle clip assembled to JH915-100 | White | 25pcs   |
| HPH16ACFM24-25R  | 1"   | HPH J-hook with 90° angle clip assembled to JH915-100 | Red   | 25pcs   |
| HPH16ACFM24-25BL | 1"   | HPH J-hook with 90° angle clip assembled to JH915-100 | Blue  | 25pcs   |
| HPH16ACFM24-25BK | 1"   | HPH J-hook with 90° angle clip assembled to JH915-100 | Black | 25pcs   |
| HPH32ACFM24-25   | 2"   | HPH J-hook with 90° angle clip assembled to JH915-100 | White | 25pcs   |
| HPH32ACFM24-25R  | 2"   | HPH J-hook with 90° angle clip assembled to JH915-100 | Red   | 25pcs   |
| HPH32ACFM24-25BL | 2"   | HPH J-hook with 90° angle clip assembled to JH915-100 | Blue  | 25pcs   |
| HPH32ACFM24-25BK | 2"   | HPH J-hook with 90° angle clip assembled to JH915-100 | Black | 25pcs   |
| HPH48ACFM24-25   | 3"   | HPH J-hook with 90° angle clip assembled to JH915-100 | White | 25pcs   |
| HPH48ACFM24-25R  | 3"   | HPH J-hook with 90° angle clip assembled to JH915-100 | Red   | 25pcs   |
| HPH48ACFM24-25BL | 3"   | HPH J-hook with 90° angle clip assembled to JH915-100 | Blue  | 25pcs   |
| HPH48ACFM24-25BK | 3"   | HPH J-hook with 90° angle clip assembled to JH915-100 | Black | 25pcs   |
| HPH64ACFM24-25   | 4"   | HPH J-hook with 90° angle clip assembled to JH915-100 | White | 25pcs   |
| HPH64ACFM24-25R  | 4"   | HPH J-hook with 90° angle clip assembled to JH915-100 | Red   | 25pcs   |
| HPH64ACFM24-25BL | 4"   | HPH J-hook with 90° angle clip assembled to JH915-100 | Blue  | 25pcs   |
| HPH64ACFM24-25BK | 4"   | HPH J-hook with 90° angle clip assembled to JH915-100 | Black | 25pcs   |

HPH Color Options:





## Hammer-on beam clamp for flanges 5/16" - 1/2" thick

- Easily hammers onto flanges 5/16" - 1/2" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



| Item No.         | Size | Description   | Color | Box QTY |
|------------------|------|---|-------|---------|
| HPH16ACFM58-25   | 1"   | HPH J-hook with 90° angle clip assembled to JH916-100 | White | 25pcs   |
| HPH16ACFM58-25R  | 1"   | HPH J-hook with 90° angle clip assembled to JH916-100 | Red   | 25pcs   |
| HPH16ACFM58-25BL | 1"   | HPH J-hook with 90° angle clip assembled to JH916-100 | Blue  | 25pcs   |
| HPH16ACFM58-25BK | 1"   | HPH J-hook with 90° angle clip assembled to JH916-100 | Black | 25pcs   |
| HPH32ACFM58-25   | 2"   | HPH J-hook with 90° angle clip assembled to JH916-100 | White | 25pcs   |
| HPH32ACFM58-25R  | 2"   | HPH J-hook with 90° angle clip assembled to JH916-100 | Red   | 25pcs   |
| HPH32ACFM58-25BL | 2"   | HPH J-hook with 90° angle clip assembled to JH916-100 | Blue  | 25pcs   |
| HPH32ACFM58-25BK | 2"   | HPH J-hook with 90° angle clip assembled to JH916-100 | Black | 25pcs   |
| HPH48ACFM58-25   | 3"   | HPH J-hook with 90° angle clip assembled to JH916-100 | White | 25pcs   |
| HPH48ACFM58-25R  | 3"   | HPH J-hook with 90° angle clip assembled to JH916-100 | Red   | 25pcs   |
| HPH48ACFM58-25BL | 3"   | HPH J-hook with 90° angle clip assembled to JH916-100 | Blue  | 25pcs   |
| HPH48ACFM58-25BK | 3"   | HPH J-hook with 90° angle clip assembled to JH916-100 | Black | 25pcs   |
| HPH64ACFM58-25   | 4"   | HPH J-hook with 90° angle clip assembled to JH916-100 | White | 25pcs   |
| HPH64ACFM58-25R  | 4"   | HPH J-hook with 90° angle clip assembled to JH916-100 | Red   | 25pcs   |
| HPH64ACFM58-25BL | 4"   | HPH J-hook with 90° angle clip assembled to JH916-100 | Blue  | 25pcs   |
| HPH64ACFM58-25BK | 4"   | HPH J-hook with 90° angle clip assembled to JH916-100 | Black | 25pcs   |



HPH Color Options:



## Pressed beam clamp for flanges 1/8" - 1/2" thick

- Easily attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as:  
Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



| Item No.      | Size | Description                      | Color | Box QTY |
|---------------|------|----------------------------------|-------|---------|
| HPH16BCF-25   | 1"   | HPH J-Hook assembled to JH965-50 | White | 25pcs   |
| HPH16BCF-25R  | 1"   | HPH J-Hook assembled to JH965-50 | Red   | 25pcs   |
| HPH16BCF-25BL | 1"   | HPH J-Hook assembled to JH965-50 | Blue  | 25pcs   |
| HPH16BCF-25BK | 1"   | HPH J-Hook assembled to JH965-50 | Black | 25pcs   |
| HPH32BCF-25   | 2"   | HPH J-Hook assembled to JH965-50 | White | 25pcs   |
| HPH32BCF-25R  | 2"   | HPH J-Hook assembled to JH965-50 | Red   | 25pcs   |
| HPH32BCF-25BL | 2"   | HPH J-Hook assembled to JH965-50 | Blue  | 25pcs   |
| HPH32BCF-25BK | 2"   | HPH J-Hook assembled to JH965-50 | Black | 25pcs   |
| HPH48BCF-25   | 3"   | HPH J-Hook assembled to JH965-50 | White | 25pcs   |
| HPH48BCF-25R  | 3"   | HPH J-Hook assembled to JH965-50 | Red   | 25pcs   |
| HPH48BCF-25BL | 3"   | HPH J-Hook assembled to JH965-50 | Blue  | 25pcs   |
| HPH48BCF-25BK | 3"   | HPH J-Hook assembled to JH965-50 | Black | 25pcs   |
| HPH64BCF-25   | 4"   | HPH J-Hook assembled to JH965-50 | White | 25pcs   |
| HPH64BCF-25R  | 4"   | HPH J-Hook assembled to JH965-50 | Red   | 25pcs   |
| HPH64BCF-25BL | 4"   | HPH J-Hook assembled to JH965-50 | Blue  | 25pcs   |
| HPH64BCF-25BK | 4"   | HPH J-Hook assembled to JH965-50 | Black | 25pcs   |

HPH Color Options:





## Pressed beam clamp for flanges 1/8" - 1/2" thick

- Easily attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



| Item No.     | Size | Description  | Color | Box QTY |
|--------------|------|--|-------|---------|
| HPH16BC-25   | 1"   | HPH J-hook with 90° angle clip assembled to JH965-50 | White | 25pcs   |
| HPH16BC-25R  | 1"   | HPH J-hook with 90° angle clip assembled to JH965-50 | Red   | 25pcs   |
| HPH16BC-25BL | 1"   | HPH J-hook with 90° angle clip assembled to JH965-50 | Blue  | 25pcs   |
| HPH16BC-25BK | 1"   | HPH J-hook with 90° angle clip assembled to JH965-50 | Black | 25pcs   |
| HPH32BC-25   | 2"   | HPH J-hook with 90° angle clip assembled to JH965-50 | White | 25pcs   |
| HPH32BC-25R  | 2"   | HPH J-hook with 90° angle clip assembled to JH965-50 | Red   | 25pcs   |
| HPH32BC-25BL | 2"   | HPH J-hook with 90° angle clip assembled to JH965-50 | Blue  | 25pcs   |
| HPH32BC-25BK | 2"   | HPH J-hook with 90° angle clip assembled to JH965-50 | Black | 25pcs   |
| HPH48BC-25   | 3"   | HPH J-hook with 90° angle clip assembled to JH965-50 | White | 25pcs   |
| HPH48BC-25R  | 3"   | HPH J-hook with 90° angle clip assembled to JH965-50 | Red   | 25pcs   |
| HPH48BC-25BL | 3"   | HPH J-hook with 90° angle clip assembled to JH965-50 | Blue  | 25pcs   |
| HPH48BC-25BK | 3"   | HPH J-hook with 90° angle clip assembled to JH965-50 | Black | 25pcs   |
| HPH64BC-25   | 4"   | HPH J-hook with 90° angle clip assembled to JH965-50 | White | 25pcs   |
| HPH64BC-25R  | 4"   | HPH J-hook with 90° angle clip assembled to JH965-50 | Red   | 25pcs   |
| HPH64BC-25BL | 4"   | HPH J-hook with 90° angle clip assembled to JH965-50 | Blue  | 25pcs   |
| HPH64BC-25BK | 4"   | HPH J-hook with 90° angle clip assembled to JH965-50 | Black | 25pcs   |



HPH Color Options:



## Spring Steel beam clamp for flanges 1/8" - 1/2" thick

- Easily attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as:  
Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



| Item No.       | Size | Description                       | Color | Box QTY |
|----------------|------|-----------------------------------|-------|---------|
| HPH16SSBC-25   | 1"   | HPH J-Hook assembled to JH966-100 | White | 25pcs   |
| HPH16SSBC-25R  | 1"   | HPH J-Hook assembled to JH966-100 | Red   | 25pcs   |
| HPH16SSBC-25BL | 1"   | HPH J-Hook assembled to JH966-100 | Blue  | 25pcs   |
| HPH16SSBC-25BK | 1"   | HPH J-Hook assembled to JH966-100 | Black | 25pcs   |
| HPH32SSBC-25   | 2"   | HPH J-Hook assembled to JH966-100 | White | 25pcs   |
| HPH32SSBC-25R  | 2"   | HPH J-Hook assembled to JH966-100 | Red   | 25pcs   |
| HPH32SSBC-25BL | 2"   | HPH J-Hook assembled to JH966-100 | Blue  | 25pcs   |
| HPH32SSBC-25BK | 2"   | HPH J-Hook assembled to JH966-100 | Black | 25pcs   |
| HPH48SSBC-25   | 3"   | HPH J-Hook assembled to JH966-100 | White | 25pcs   |
| HPH48SSBC-25R  | 3"   | HPH J-Hook assembled to JH966-100 | Red   | 25pcs   |
| HPH48SSBC-25BL | 3"   | HPH J-Hook assembled to JH966-100 | Blue  | 25pcs   |
| HPH48SSBC-25BK | 3"   | HPH J-Hook assembled to JH966-100 | Black | 25pcs   |
| HPH64SSBC-25   | 4"   | HPH J-Hook assembled to JH966-100 | White | 25pcs   |
| HPH64SSBC-25R  | 4"   | HPH J-Hook assembled to JH966-100 | Red   | 25pcs   |
| HPH64SSBC-25BL | 4"   | HPH J-Hook assembled to JH966-100 | Blue  | 25pcs   |
| HPH64SSBC-25BK | 4"   | HPH J-Hook assembled to JH966-100 | Black | 25pcs   |

HPH Color Options:





## Spring steel beam clamp for flanges 1/8" - 1/2" thick

- Easily attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as:  
Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



| Item No.         | Size | Description   | Color | Box QTY |
|------------------|------|---|-------|---------|
| HPH16ACSSBC-25   | 1"   | HPH J-hook with 90° angle clip assembled to JH966-100 | White | 25pcs   |
| HPH16ACSSBC-25R  | 1"   | HPH J-hook with 90° angle clip assembled to JH966-100 | Red   | 25pcs   |
| HPH16ACSSBC-25BL | 1"   | HPH J-hook with 90° angle clip assembled to JH966-100 | Blue  | 25pcs   |
| HPH16ACSSBC-25BK | 1"   | HPH J-hook with 90° angle clip assembled to JH966-100 | Black | 25pcs   |
| HPH32ACSSBC-25   | 2"   | HPH J-hook with 90° angle clip assembled to JH966-100 | White | 25pcs   |
| HPH32ACSSBC-25R  | 2"   | HPH J-hook with 90° angle clip assembled to JH966-100 | Red   | 25pcs   |
| HPH32ACSSBC-25BL | 2"   | HPH J-hook with 90° angle clip assembled to JH966-100 | Blue  | 25pcs   |
| HPH32ACSSBC-25BK | 2"   | HPH J-hook with 90° angle clip assembled to JH966-100 | Black | 25pcs   |
| HPH48ACSSBC-25   | 3"   | HPH J-hook with 90° angle clip assembled to JH966-100 | White | 25pcs   |
| HPH48ACSSBC-25R  | 3"   | HPH J-hook with 90° angle clip assembled to JH966-100 | Red   | 25pcs   |
| HPH48ACSSBC-25BL | 3"   | HPH J-hook with 90° angle clip assembled to JH966-100 | Blue  | 25pcs   |
| HPH48ACSSBC-25BK | 3"   | HPH J-hook with 90° angle clip assembled to JH966-100 | Black | 25pcs   |
| HPH64ACSSBC-25   | 4"   | HPH J-hook with 90° angle clip assembled to JH966-100 | White | 25pcs   |
| HPH64ACSSBC-25R  | 4"   | HPH J-hook with 90° angle clip assembled to JH966-100 | Red   | 25pcs   |
| HPH64ACSSBC-25BL | 4"   | HPH J-hook with 90° angle clip assembled to JH966-100 | Blue  | 25pcs   |
| HPH64ACSSBC-25BK | 4"   | HPH J-hook with 90° angle clip assembled to JH966-100 | Black | 25pcs   |



HPH Color Options:



## C Purlin verticle joist clip

- Easily attaches to 90° flanges 1/8" - 1/4" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



| Item No.     | Size | Description                       | Color | Box QTY |
|--------------|------|-----------------------------------|-------|---------|
| HPH16VO-25   | 1"   | HPH J-Hook assembled to JH901-100 | White | 25pcs   |
| HPH16VO-25R  | 1"   | HPH J-Hook assembled to JH901-100 | Red   | 25pcs   |
| HPH16VO-25BL | 1"   | HPH J-Hook assembled to JH901-100 | Blue  | 25pcs   |
| HPH16VO-25BK | 1"   | HPH J-Hook assembled to JH901-100 | Black | 25pcs   |
| HPH32VO-25   | 2"   | HPH J-Hook assembled to JH901-100 | White | 25pcs   |
| HPH32VO-25R  | 2"   | HPH J-Hook assembled to JH901-100 | Red   | 25pcs   |
| HPH32VO-25BL | 2"   | HPH J-Hook assembled to JH901-100 | Blue  | 25pcs   |
| HPH32VO-25BK | 2"   | HPH J-Hook assembled to JH901-100 | Black | 25pcs   |
| HPH48VO-25   | 3"   | HPH J-Hook assembled to JH901-100 | White | 25pcs   |
| HPH48VO-25R  | 3"   | HPH J-Hook assembled to JH901-100 | Red   | 25pcs   |
| HPH48VO-25BL | 3"   | HPH J-Hook assembled to JH901-100 | Blue  | 25pcs   |
| HPH48VO-25BK | 3"   | HPH J-Hook assembled to JH901-100 | Black | 25pcs   |
| HPH64VO-25   | 4"   | HPH J-Hook assembled to JH901-100 | White | 25pcs   |
| HPH64VO-25R  | 4"   | HPH J-Hook assembled to JH901-100 | Red   | 25pcs   |
| HPH64VO-25BL | 4"   | HPH J-Hook assembled to JH901-100 | Blue  | 25pcs   |
| HPH64VO-25BK | 4"   | HPH J-Hook assembled to JH901-100 | Black | 25pcs   |



HPH Color Options:





## Z Purlin 45° joist clip

- Easily attaches to 45° flanges 1/8" - 1/4" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



| Item No.     | Size | Description                       | Color | Box QTY |
|--------------|------|-----------------------------------|-------|---------|
| HPH16AO-25   | 1"   | HPH J-Hook assembled to JH902-100 | White | 25pcs   |
| HPH16AO-25R  | 1"   | HPH J-Hook assembled to JH902-100 | Red   | 25pcs   |
| HPH16AO-25BL | 1"   | HPH J-Hook assembled to JH902-100 | Blue  | 25pcs   |
| HPH16AO-25BK | 1"   | HPH J-Hook assembled to JH902-100 | Black | 25pcs   |
| HPH32AO-25   | 2"   | HPH J-Hook assembled to JH902-100 | White | 25pcs   |
| HPH32AO-25R  | 2"   | HPH J-Hook assembled to JH902-100 | Red   | 25pcs   |
| HPH32AO-25BL | 2"   | HPH J-Hook assembled to JH902-100 | Blue  | 25pcs   |
| HPH32AO-25BK | 2"   | HPH J-Hook assembled to JH902-100 | Black | 25pcs   |
| HPH48AO-25   | 3"   | HPH J-Hook assembled to JH902-100 | White | 25pcs   |
| HPH48AO-25R  | 3"   | HPH J-Hook assembled to JH902-100 | Red   | 25pcs   |
| HPH48AO-25BL | 3"   | HPH J-Hook assembled to JH902-100 | Blue  | 25pcs   |
| HPH48AO-25BK | 3"   | HPH J-Hook assembled to JH902-100 | Black | 25pcs   |
| HPH64AO-25   | 4"   | HPH J-Hook assembled to JH902-100 | White | 25pcs   |
| HPH64AO-25R  | 4"   | HPH J-Hook assembled to JH902-100 | Red   | 25pcs   |
| HPH64AO-25BL | 4"   | HPH J-Hook assembled to JH902-100 | Blue  | 25pcs   |
| HPH64AO-25BK | 4"   | HPH J-Hook assembled to JH902-100 | Black | 25pcs   |



HPH Color Options:



## 1/4" female threaded eye coupling

- Easily attaches to 1/4" threaded rod or any male 1/4"-20 machine thread.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as:  
Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- RoHS & REACH compliant, plenum rated.



| Item No.     | Size | Description   | Thread Size | Color | Box QTY |
|--------------|------|---|-------------|-------|---------|
| HPH16EH-25   | 1"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | White | 25pcs   |
| HPH16EH-25R  | 1"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | Red   | 25pcs   |
| HPH16EH-25BL | 1"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | Blue  | 25pcs   |
| HPH16EH-25BK | 1"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | Black | 25pcs   |
| HPH32EH-25   | 2"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | White | 25pcs   |
| HPH32EH-25R  | 2"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | Red   | 25pcs   |
| HPH32EH-25BL | 2"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | Blue  | 25pcs   |
| HPH32EH-25BK | 2"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | Black | 25pcs   |
| HPH48EH-25   | 3"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | White | 25pcs   |
| HPH48EH-25R  | 3"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | Red   | 25pcs   |
| HPH48EH-25BL | 3"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | Blue  | 25pcs   |
| HPH48EH-25BK | 3"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | Black | 25pcs   |
| HPH64EH-25   | 4"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | White | 25pcs   |
| HPH64EH-25R  | 4"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | Red   | 25pcs   |
| HPH64EH-25BL | 4"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | Blue  | 25pcs   |
| HPH64EH-25BK | 4"   | HPH J-Hook assembled to female 1/4-20" eye coupling | 1/4"        | Black | 25pcs   |



HPH Color Options:





## 3/8" female threaded eye coupling

- Easily attaches to 3/8" threaded rod or any male 3/8"-16 machine thread.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as:  
Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black..
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- RoHS & REACH compliant, plenum rated.



| Item No.       | Size | Description   | Thread Size | Color | Box QTY |
|----------------|------|---|-------------|-------|---------|
| HPH16EH38-25   | 1"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | White | 25pcs   |
| HPH16EH38-25R  | 1"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | Red   | 25pcs   |
| HPH16EH38-25BL | 1"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | Blue  | 25pcs   |
| HPH16EH38-25BK | 1"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | Black | 25pcs   |
| HPH32EH38-25   | 2"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | White | 25pcs   |
| HPH32EH38-25R  | 2"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | Red   | 25pcs   |
| HPH32EH38-25BL | 2"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | Blue  | 25pcs   |
| HPH32EH38-25BK | 2"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | Black | 25pcs   |
| HPH48EH38-25   | 3"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | White | 25pcs   |
| HPH48EH38-25R  | 3"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | Red   | 25pcs   |
| HPH48EH38-25BL | 3"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | Blue  | 25pcs   |
| HPH48EH38-25BK | 3"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | Black | 25pcs   |
| HPH64EH38-25   | 4"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | White | 25pcs   |
| HPH64EH38-25R  | 4"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | Red   | 25pcs   |
| HPH64EH38-25BL | 4"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | Blue  | 25pcs   |
| HPH64EH38-25BK | 4"   | HPH J-Hook assembled to female 3/8-16" eye coupling | 3/8"        | Black | 25pcs   |



HPH Color Options:



## Side Mount Magnet for wall mount

- Easily attaches to metallic surfaces, no tools required!
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1" & 2".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- RoHS compliant & plenum rated HPH J-Hook.



| Item No.     | Size | Description  | Color | Box QTY |
|--------------|------|--|-------|---------|
| HPH16MH-10   | 1"   | HPH J-Hook assembled to side mount MAG420 pot magnet | White | 10pcs   |
| HPH16MH-10R  | 1"   | HPH J-Hook assembled to side mount MAG420 pot magnet | Red   | 10pcs   |
| HPH16MH-10BL | 1"   | HPH J-Hook assembled to side mount MAG420 pot magnet | Blue  | 10pcs   |
| HPH16MH-10BK | 1"   | HPH J-Hook assembled to side mount MAG420 pot magnet | Black | 10pcs   |
| HPH32MH-10   | 2"   | HPH J-Hook assembled to side mount MAG420 pot magnet | White | 10pcs   |
| HPH32MH-10R  | 2"   | HPH J-Hook assembled to side mount MAG420 pot magnet | Red   | 10pcs   |
| HPH32MH-10BL | 2"   | HPH J-Hook assembled to side mount MAG420 pot magnet | Blue  | 10pcs   |
| HPH32MH-10BK | 2"   | HPH J-Hook assembled to side mount MAG420 pot magnet | Black | 10pcs   |



### WARNING:

Before using a magnet, please refer to the warnings at:

[https://www.platinumtools.com/sections/magnet\\_warnings/](https://www.platinumtools.com/sections/magnet_warnings/)

or by scanning the QR code here:



HPH Color Options:





## Top Mount Magnets

- Easily attaches to metallic surfaces, no tools required!
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1" & 2"
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- RoHS compliant & plenum rated HPH J-Hook.



| Item No.     | Size | Description   | Color | Box QTY |
|--------------|------|---|-------|---------|
| HPH16MV-10   | 1"   | HPH J-Hook assembled to top mount MAG420 pot magnet | White | 10pcs   |
| HPH16MV-10R  | 1"   | HPH J-Hook assembled to top mount MAG420 pot magnet | Red   | 10pcs   |
| HPH16MV-10BL | 1"   | HPH J-Hook assembled to top mount MAG420 pot magnet | Blue  | 10pcs   |
| HPH16MV-10BK | 1"   | HPH J-Hook assembled to top mount MAG420 pot magnet | Black | 10pcs   |
| HPH32MV-10   | 2"   | HPH J-Hook assembled to top mount MAG420 pot magnet | White | 10pcs   |
| HPH32MV-10R  | 2"   | HPH J-Hook assembled to top mount MAG420 pot magnet | Red   | 10pcs   |
| HPH32MV-10BL | 2"   | HPH J-Hook assembled to top mount MAG420 pot magnet | Blue  | 10pcs   |
| HPH32MV-10BK | 2"   | HPH J-Hook assembled to top mount MAG420 pot magnet | Black | 10pcs   |



### WARNING:

Before using a magnet, please refer to the warnings at:

[https://www.platinumtools.com/sections/magnet\\_warnings/](https://www.platinumtools.com/sections/magnet_warnings/)

or by scanning the QR code here:



HPH Color Options:





## TELESCOPING POLE TOOL

Xtender Pole™ is the ultimate all-in-one extension pole tool. It comes ready to perform various jobs right out of the box including:

- Hanging eye lag screws with jack chain, ceiling wire or aircraft cable
- Installing SAMMY® screws pre-assembled up to 3/8" threaded rod
- Driving standard hex or mod screws using the included JH701 1/4" hex adapter plug
- Install pre-tied purlin joist clips from the ground using the JH975 (sold separately)
- Installing HangerMate®/Elco® screws pre-assembled up to 3/8" threaded rod

| Product Code | Collapsed Length | Extended Length | Stages | Shipping Weight |
|--------------|------------------|-----------------|--------|-----------------|
| JH712        | 4' 6"            | 10' 9"          | 3      | 6               |
| JH718        | 7' 5"            | 17'             | 3      | 7               |



JH701  
1/4" Hex plug  
female adapter



JH703  
5/8" Hex plug  
female adapter



[youtube.com/watch?v=TS2MUUSFNQY](https://youtube.com/watch?v=TS2MUUSFNQY)

## INCLUDED PARTS

| Fig. No. | Item No. | Description   |
|----------|----------|---|
| 1.       | JH708    | Xtender Pole™ wire head with set-screw ring for installing ceiling wire, jack chain or aircraft cable with eye lag screws |
| 2.       | JH709    | Xtender Pole™ female receiver base for ALL plug-in heads including: JH708, JH701, JH702, JH703, JH705, JH711              |
| 3.       | JH701    | Xtender Pole™ 1/4" hex female receiver, fits most 1/4" drivers such as screw or nut drivers                               |
| 4.       | JH703    | Xtender Pole™ replacement driver on the bottom of the pole for: JH712 & JH718   |
| 5.       | JH707    | Xtender Pole™ 5/8" open-ended hex for installing SAMMY® screws pre-assembled up to 3/8" threaded rod                      |



## PARTS SOLD SEPARATELY

| Fig. No. | Item No. | Description  |
|----------|----------|--|
| 1.       | JH702    | Xtender Pole™ 3/8" open-ended hex for installing HangerMate®/Elco® screws pre-assembled up to 3/8" threaded rod                                  |
| 2.       | JH705    | Xtender Pole™ 1/2" national pipe thread adapter for use with JH975 purlin installation tool  |
| 3.       | JH711    | Xtender Pole™ 3/8" (0.003" - 0.39") keyless chuck  |
| 4.       | JH975    | Xtender Pole™ C & Z purlin installation tool - For installing pre-tied JH901-100 & JH902-100 joist clips<br>*Requires JH705 1/2" thread adapter* |





# HPH J-Hooks & Bridle Rings with Rare-Earth Magnets



**TOP MOUNT**



**SIDE MOUNT**

Today, organizing and managing low voltage cables being used in non-permanent applications is easy, safe and quick to install. What is the secret? These **Rare Earth Magnets** integrated with both the **HPH J-Hooks** and **Bridle Rings**. A great solution for those low voltage temporary installations.

## Features and Benefits

- Fast Installation Saves Time and Money
- Removable and Reusable
- Easy to Install, No Drilling Required
- Simple to Re-route
- Available in Top Mount (V), and Side Mount (H)
- Support Category Cables: Cat5e/6/6a/7 and Coaxial Cables: CCTV, CATV



## Product Specifications

### Rare Earth Magnets

- Nominal Breakaway Strength: 90 lbs (Top Mount Only)
- Magnet breakaway strength is very dependent on the surface to which magnet is attached. Always pull test for strength.*



## HPH J-HOOKS

Top Mount



Side Mount



BRIDLE  
RINGS



## Ordering Information:



### HPH J-Hooks with Magnets

| Size          | CABLE CAPACITY |      |       | Color | SIDE MOUNT   |  | TOP MOUNT    |  | Qty      |
|---------------|----------------|------|-------|-------|--------------|--|--------------|--|----------|
|               | Cat5e          | Cat6 | Cat6A |       | Part No.     |  | Part No.     |  |          |
| 1"<br>Size 16 | 20             | 20   | 10    | White | HPH16MH-10   |  | HPH16MV-10   |  | 10 / Box |
|               |                |      |       | Blue  | HPH16MH-10BL |  | HPH16MV-10BL |  |          |
|               |                |      |       | Black | HPH16MH-10BK |  | HPH16MV-10BK |  |          |
|               |                |      |       | Red   | HPH16MH-10R  |  | HPH16MV-10R  |  |          |
| 2"<br>Size 32 | 90             | 60   | 35    | White | HPH32MH-10   |  | HPH32MV-10   |  | 10 / Box |
|               |                |      |       | Blue  | HPH32MH-10BL |  | HPH32MV-10BL |  |          |
|               |                |      |       | Black | HPH32MH-10BK |  | HPH32MV-10BK |  |          |
|               |                |      |       | Red   | HPH32MH-10R  |  | HPH32MV-10R  |  |          |

Magnet breakaway strength is very dependent on the surface to which magnet is attached. Always pull test for strength.

### Bridle Rings with Magnets

|  | Part No.  | Qty      |
|--|-----------|----------|
| Bridle Ring, 1-1/4", with top mount magnet | JH807M-10 | 10 / Box |
| Bridle Ring, 2", with top mount magnet     | JH808M-10 | 10 / Box |



### Magnets

|  | Part No.  | Qty      |
|--|-----------|----------|
| Rare Earth Magnet in housing with 1/4" - 20 female threads | MAG420-10 | 10 / Box |



## WARNINGS READ BEFORE USE:

Rare earth magnets are extremely strong and potentially dangerous. View warnings at [platinumtools.com/sections/magnet\\_warnings](http://platinumtools.com/sections/magnet_warnings) or scan the code.







## Get started today!



Cable Management displays available