Arecont Vision

ConteraCMR® High Performance NVR Server

80TB Max Storage Cloud Managed Recorder with Dual NIC, 128* Max Channel Count, and Rack Mountable



ConteraCMR® high performance cloud managed NVR servers are designed to offer maximum performance and reliability, paired with the powerful features and functionality of the ConteraWS® Web Services platform. These 2U servers offer higher channel counts (up to 128*) and feature enterprise options like front removable drives, redundant power supplies, dual SSD OS drives, and RAID5.

High performance NVR servers come preloaded with ConteraVMS® Server software and run the Microsoft® Windows® 10 operating system. These high power servers are enterprise level HD IP recorders with the increased processing and throughput capabilities needed to handle larger channel count, storage, and remote usage requirements.

Enhance the functionality of your server even further by pairing it with ConteraWS Web Services which allows you to centralize user management, monitor the health of your recording system, and take advantage of time saving feature like online export and video or clip file sharing. There is no need to write, remember, or type IP addresses and other network information for remote connections. Simply enable ConteraWS on your recorder, and then connect using the ConteraWS Web Client to manage recorder configurations and user access.

















Managem

ConteraVMS[®]



Front Swappable Drives









Cloud Video Export and Sharing

License Ready



Up to 80TB

Dual Gigabit NICs

Dual SSD OS Drives

8 Drive Capacity

RAID Storage and Redundant OS **Drive Options**



Centralized User Management

ConteraWS provides secure storage of all user profile information, allowing role-based management for hundreds of users and device permissions.



Health Monitoring

Cloud-based health monitoring ensures your cameras and recorders are working properly and minimum recording retention levels are being met.



Alerts and Reports

ConteraWS grants insight into operational events at recorder locations and provides valuable business intelligence based on customer or employee activity.



Single Sign-on

Log into ConteraWS Web Services, ConteraVMS, and Arecont Vision Mobile using the same email address and password.



Clip Sharing


Export video clips to the cloud so they cannot be overwritten or lost. Share video clips via email with password protection.

Series Features

- · Cloud Management with ConteraWS
- ConteraVMS Ready
- Cloud Video Export and Sharing
- 12, 16, 20, 24, 28, 30, 36, 48, 64, or 80TB Storage Capacity
- 8 Removable Hard Disk Drives (HDDs)
- Windows OS
- 128* Max Channel Count
- IP Channel Upgrades
- Solid State OS Drive (SSD)
- **DVD-ROM Drive** •
- RAID5
- Intel[®] Core[™] i7 Processor
- Dual NIC
- 2U Rack Mountable
- 3-Year Hardware Warranty
- 1-Year Advanced Replacement
- * JBOD: 65-96 channels requires additional 8GB System Memory RAID: 65-128 channels requires additional 8GB System Memory



Made in the USA



On-Board Storage

ConteraCMR[®] High Performance NVR Server

Specifications

Recorder Specifications

Model		AV-CSHPXxxT (JBOD)	AV-CSHPXxxTR (RAID)	
Recording	Max IP Channels	64 (upgradeable to 96) ¹	64 (upgradeable to 128) ¹	
	Recording Resolutions	Up to 4K Ultra HD		
	Max Recording Rate	250 Mbps	500 Mbps	
	Image Compression	H.2	264	
Connections	Video Outputs	1 x DVI-D / 1 x DVI-I / 2 x HDMI (maximum one monitor support)		
	Maximum Display Resolution	4K		
	Network 1	Dedicated Intel [®] GBE for client network		
	Network 2	Dedicated Intel® GBE for camera network		
	Alarm Sensor Inputs	4 x Form A contacts (optional add-on)		
	Digital Relay Outputs	4 x Form A contacts (optional add-on)		
	USB Ports	Front: 2 x USB 2.0 Rear: 2 x USB 2.0 / 4 x USB 3.0		
Software	Operating System	Microsoft® Windows®		
	Video Signal Loss Detection	Yes		
	Motion Detection	Arecont Vision [®] camera side or ONVIF Profile S server side		
	Remote Operation	ConteraVMS® thick client / thin (web) client / mobile apps		
	User Management	Web or local based user permissions and account management		
	Recording Mode	Continuous / Motion / Continuous + Motion / Live Only		
	Playback Search	Multi-channel playback (1, 4, 9) / Calendar / Timeline / Thumbnail / Event (VMS and web client) / Object (VMS)		
	Clip Backup	DVD-RW / Cloud / USB		
	Digital Signature Support	Yes		
	Web Connect	Yes		

General

Keyboard and Mouse	Included	
DVD Drive	Yes	
Operating Temperature	Max temperature: 104°F (40°C)	
OS Drive Configuration	Dedicated Solid State Drive	
Maximum Storage	JBOD	80TB
Configuration	RAID	80TB (70TB Usable) ²
Processor	Intel® i7	
Rack Mount	Installation kit and rack slide kit included	
Warranty	3 Years, 1 year advanced replacement	

Electrical

Input Voltage	Standard	650W (100V-240V auto switching)
	Redundant	875W (100V-240V auto switching)
Power Consumption	JBOD	160W max
	RAID	175W max

¹ JBOD: 65-96 channels requires additional 8GB System Memory RAID: 65-128 channels requires additional 8GB System Memory

² Usable space after allocating space for RAID5 redundant backup

Compliance


IP Camera Support	Arecont Vision / ONVIF Profile S / RTSP
Certification	ETL (Intertek) certified
CoO	Made in the USA

Mechanical


Dimensions (See Dimensions)	Unit	17.2" W (438mm) x 3.5" H (88mm) x 26" L (660mm)
	Packaged	24" W (610mm) x 8" H (203mm) x 34" L (864mm)
Weight	Unit	43lbs (19.5kg)
	Packaged	58lbs (26.3kg)

ConteraCMR[®] High Performance NVR Server

Controls and Connections



Dimensions



ConteraCMR[®] High Performance NVR Server

Ordering Information



JBOD or RAID5

Model Numbers

JBOD	AV-CSHPX16T	
	AV-CSHPX20T	
	AV-CSHPX24T	
	AV-CSHPX30T	
	AV-CSHPX36T	
	AV-CSHPX48T	
	AV-CSHPX64T	
	AV-CSHPX80T	
RAID5	AV-CSHPX12TR	12TB RAID5 (10TB Usable) ²
	AV-CSHPX20TR	20TB RAID5 (16TB Usable) ²
	AV-CSHPX24TR	24TB RAID5 (20TB Usable) ²
	AV-CSHPX28TR	28TB RAID5 (24TB Usable) ²
	AV-CSHPX36TR	36TB RAID5 (30TB Usable) ²
	AV-CSHPX48TR	48TB RAID5 (42TB Usable) ²
	AV-CSHPX64TR	64TB RAID5 (56TB Usable) ²
	AV-CSHPX80TR	80TB RAID5 (70TB Usable) ²


Factory Upgrades*

AV-CDRPSU820	Dual-Redundant Power Supply, 875 Watt for High Performance Models
AV-CIO4HP	I/O add-on card for High Performance Models (4 x Form A inputs and 4 x Form A relay outputs)
AV-CPERFUPRAM-8	8GB RAM Upgrade

Create Your Model (Example: AV-CSHPX64TR)

Software and Service Licenses

Part Number	Description	
ConteraVMS°		
ConteraVMS Software Licenses		
AV-CST1	Contera [®] Standard 1 Channel Recording License with 1 Year ConteraWS Free	
AV-CPM1	Contera Premium 1 Channel Recording License with 1 Year ConteraWS Free	
AV-CPR1	Contera Professional 1 Channel Recording License with 1 Year ConteraWS Free	
ConteraVMS Software Expansion Licenses		
AV-CST1-EXP	Contera Standard 1 Channel Expansion Recording License with 1 Year ConteraWS Free	
AV-CPM1-EXP	Contera Premium 1 Channel Expansion Recording License with 1 Year ConteraWS Free	
AV-CPR1-EXP	Contera Professional 1 Channel Expansion Recording License with 1 Year ConteraWS Free	
ConteraVMS Software Upgr	rade Licenses	
AV-CSUBAPM	Contera Standard to Premium 1 Channel Upgrade	
AV-CSUPMPR	Contera Premium to Professional 1 Channel Upgrade	
Contera WS [◎]		
ConteraWS (Web Services)	Access License Including Software Updates	
AV-CWS1Y	Contera 1 Year ConteraWS 1 Channel Access License	
AV-CWS4Y	Contera 4 Year ConteraWS 1 Channel Access License	
AV-CWS4Y-PROMO	Contera 4 Year ConteraWS 1 Channel Access License 16 Channel Promotion (Must be 16 Channel minimum and deployed on Contera hardware)	
ConteraWS (Web Services) Cloud Storage Expansion		
AV-CWS1Y50GB	ConteraWS 50GB Cloud Storage Expansion (1 Year)	



+1.818.937.0700 | www.arecontvision.com | avsales@arecontvision.com

© 2019 Arecont Vision Costar, LLC. All rights reserved. Arecont Vision and the Arecont Vision logo, Contera, ConteraCMR, ConteraIP, ConteraVMS, ConteraWS, and ConteraMobile are registered trademarks of the company. MegalP is a business use trademark of the company.

Made in the USA Rev 001.005